



# Winter check

Document number: 150002082\_00\_en

Version: 14/09/2023

---

## Mower Combination

### EasyCut B

---



---

## Contact

Maschinenfabrik Bernard Krone GmbH & Co. KG  
Heinrich-Krone-Straße 10  
48480 Spelle  
Germany

Telephone main office + 49 (0) 59 77/935-0  
Telefax main office + 49 (0) 59 77/935-339  
Telefax spare parts warehouse national territory + 49 (0) 59 77/935-239  
Telefax spare parts warehouse export + 49 (0) 59 77/935-359  
Internet [www.krone-agriculture.com/de](http://www.krone-agriculture.com/de)  
<https://mykrone.green/>

## Information for enquiries and orders

Year	
Machine number	
Model	

## Your dealer's contact details



For information on your KRONE machines, also refer to [mykrone.green](https://mykrone.green). After you have registered, you can generate and manage your machines via the machine number so that you can view the machine data. Via your personal account, you can also access all KRONE Services.



### Technical Information Center (TIC)

Technical and service-relevant information on your KRONE machines can also be found in the [Technical Information Center](#). All information can be searched using a full-text search, such as operating instructions, spare parts information, training documents (qualification-based), error code and parameter descriptions, guided troubleshooting, video tutorials and much more.

## Table of contents

---

<b>1</b>	<b>Foreword.....</b>	<b>5</b>
<b>2</b>	<b>Information on customer, KRONE service partner and machine.....</b>	<b>6</b>
<b>3</b>	<b>About this document.....</b>	<b>7</b>
3.1	Validity.....	7
3.2	Re-ordering.....	7
3.3	Applicable documents.....	7
<b>4</b>	<b>Personnel qualification of the technicians.....</b>	<b>8</b>
<b>5</b>	<b>Winter check list.....</b>	<b>9</b>
5.1	Three-point hitch/relief.....	10
5.2	Conditioner.....	11
5.3	Guards/guard cloths/swathing.....	12
5.4	Cutterbar.....	13
5.5	Drive.....	14
5.6	Hydraulics.....	16
<b>6</b>	<b>Certificate for winter check.....</b>	<b>17</b>
	<b>Index.....</b>	<b>18</b>

## 1 Foreword

Dear KRONE sales partner,

The name KRONE has been synonymous with agricultural technology for more than a decade. The perfect mixture of innovative power, customer proximity and expertise is the secret of the company's enduring success. The numerous innovative and unique features are testimony to the quality- and customer-oriented corporate philosophy.

As a recommendation / guideline for you, your KRONE Product Support Team has compiled this winter check.

To ensure the high quality of our products also beyond their sale, we recommend this winter check.

**NOTE! This, however, does not serve to extend the warranty claim.**

For you as a customer, this results in the following considerable benefits:

- Enhanced machine operational reliability
- Enhanced machine reliability during the season
- Longer machine lifetime
- Qualified post-season check according to KRONE quality standards by your local KRONE dealer
- Thorough post-season machine cleaning
- Higher resale value of your machine

### **Preparation:**

- ✓ The machine has been cleaned completely by the customer.
- ✓ The machine is ready for operation.
- ✓ All customer and dealer data have been entered ([see Page 6](#)).

### **Implementation:**

- ▶ Carry out all listed test steps for the respective component groups and check the result in the appurtenant column.
- ▶ In the "Comments" column, enter comments and additional information about the test steps carried out.
- ▶ Check that the field modifications are carried out as scheduled.  
To do this, enter the serial number and then filter via KRONE Media ([KRONE Media](#)) for Service / Customer service information / Field modifications.

### **Completion:**

- ▶ Dealer and customer mutually confirm the proper execution of the winter check. ([see Page 17](#))

**With kind regards**

**Your KRONE Product Support Team**



2 Information on customer, KRONE service partner and machine

Information on customer			
Company name:			
Surname, first name:			
Street address:			
Postal code / town:			
Telephone / cell phone:			
E-mail:			
<input type="radio"/> Farmer	<input type="radio"/> Contractor	<input type="radio"/> Machinery ring	
Information on KRONE service partner			
Company name:			
Surname, first name:			
Street address:			
Postal code / town:			
Telephone / cell phone:			
E-mail:			
Information on machine			
Machine type:		Vehicle identification number:	

## **3 About this document**

### **3.1 Validity**

This document is valid for:

EasyCut B 1000 CR	EasyCut B 1000 CR Collect
EasyCut B 1000 CV	EasyCut B 1000 CV Collect
EasyCut B 750	EasyCut B 870 CR
EasyCut B 870 CR Collect	EasyCut B 870 CV
EasyCut B 870 CV Collect	EasyCut B 890
EasyCut B 970	MT603-30 (EasyCut B 870)
MT603-33 (EasyCut B 880 CV)	MT603-34 (EasyCut B 880 CV Collect)
MT603-36 (EasyCut B 880 CR)	MT603-37 (EasyCut B 880 CR Collect)
MT603-40 (EasyCut B 1000)	MT603-41 (EasyCut B 950 Collect)
MT603-43 (EasyCut B 1050 CV)	MT603-44 (EasyCut B 1050 CV Collect)
MT603-46 (EasyCut B 1050 CR)	MT603-47 (EasyCut B 1050 CR Collect)
MT603-60 (EasyCut B 1250)	MT603-64

### **3.2 Re-ordering**

You can request a replacement document if this document became completely or partly unusable, or if you need it in a different language. Please specify the document number shown on the cover page in your order. Alternatively, you can download the document online from KRONE MEDIA <https://media.mykrone.green>.

### **3.3 Applicable documents**

To ensure that the machine is used safely and as intended, observe the following further applicable documents.

- Operating instructions of the respective machine
- Manual for service technicians "Repairs, maintenance and settings by technicians"

---

## 4 Personnel qualification of the technicians

If the work (assembly, conversion, modification, extension, repairs, retrofitting) is performed improperly on the machine, people may be seriously or fatally injured. To avoid accidents, everyone who performs work according to these instructions must meet the following minimum requirements:

- Qualified professional, with relevant training.
- Capable of assembling the (partially) disassembled machine according to the assembly instructions provided by the manufacturer.
- He is capable, e.g. by attending a training course, of extending, modifying or repairing the function of the machine according to the relevant instructions provided by the manufacturer.
- He has read the operating instructions and can implement the information in the operating instructions accordingly.
- Ability to perform the work safely according to these instructions.
- Understands the mode of operation of the work to be performed and the machine and is able to identify and avoid risk in carrying out the necessary work.
- Has read these instructions and is able to implement the information explained in these instructions accordingly.



**5 Winter check list*****INFO***

For further information, refer to the operating instructions for the machine.

## 5.1 Three-point hitch/relief

	OK	Not OK	Rectified	Comment
<b>Visual inspection of three-point hitch/relief</b>				
▶ Check for wear/damage				
▶ Check for completeness				
<b>Screws/bolts/linch pins of three-point hitch/relief</b>				
▶ Check for completeness				
▶ Check for firm seat				
<b>Support jack</b>				
▶ Check for firm seat				

## 5.2 Conditioner

	OK	Not OK	Rectified	Comment
<b>Visual inspection of conditioner housing</b>				
▶ Check for wear/damage				
<b>Visual inspection of tine/tine rotor in CV version</b>				
▶ Check for wear/damage				
▶ Check the setting				
<b>Visual inspection of conditioning sheet/adjusting function of conditioning sheet on CV version</b>				
▶ Check for wear/damage				
▶ Check the setting				
<b>Inspection of conditioning bearing on CV version</b>				
▶ Check for completeness/firm seat				
▶ Check for wear/damage				
<b>Imbalance check of conditioner</b>				
▶ Check for wear/damage				
<b>Visual inspection of conditioner roller on CR version</b>				
▶ Check for wear/damage				
▶ Check the function				
<b>Inspection of roller bearing on CR version</b>				
▶ Check for completeness				
▶ Check for wear/damage				
<b>Inspection/setting of roller adjustment/spring on CR version</b>				
▶ Check for wear/damage				
▶ Check the function				

### 5.3 Guards/guard cloths/swathing

	OK	Not OK	Rectified	Comment
<b>Visual inspection of front guard/locking</b>				
▶ Check for firm seat				
▶ Check for wear / damage				
▶ Check the function				
<b>Visual inspection of side guard/locking</b>				
▶ Check for firm seat				
▶ Check for wear / damage				
▶ Check the function				
<b>Visual inspection of guard cloths</b>				
▶ Check for firm seat				
▶ Check for wear/damage				
<b>Swath flap adjustment</b>				
▶ Check for firm seat				
▶ Check for wear / damage				
▶ Check the function				

## 5.4 Cutterbar

	OK	Not OK	Rectified	Comment
<b>Visual inspection of cutterbar</b>				
▶ Check for wear/damage				
▶ Check for leak tightness				
<b>Check oil level at cutterbar</b>				
▶ Check filling level				
▶ Check pressure				
▶ Check temperature				
<b>Cutterbar hub bearings</b>				
▶ Check for wear/damage				
▶ Check the function				
<b>Visual inspection of impact stops on cutterbars</b>				
▶ Check for wear/damage				
<b>Visual inspection of sliding skids</b>				
▶ Check for wear/damage				
<b>Check cutting discs/blade carrier/journal/blade screw</b>				
▶ Check for wear/damage				
<b>Check blades</b>				
▶ Check for wear/damage				
<b>Visual inspection of cutterbar foot</b>				
▶ Check for completeness				
▶ Check for firm seat				

## 5.5 Drive

	OK	Not OK	Rectified	Comment
<b>Visual inspection of main universal shaft (guards, central fork, etc.)</b>				
▶ Check for firm seat				
▶ Check for wear / damage				
▶ Check the function				
<b>Visual inspection of slip-on yoke</b>				
▶ Check for wear/damage				
<b>Friction disc clutch</b>				
▶ Check the function				
▶ Check setting/play				
▶ Venting				
<b>Visual inspection of section tubes/lubrication of section tubes</b>				
▶ Check for wear/damage				
▶ Check the function				
<b>Visual inspection of gearbox</b>				
▶ Check for wear/damage				
▶ Check for leak tightness				
▶ Check the function				
<b>Oil change intervals at gearboxes</b>				
▶ Check filling level				Last change:
<b>Screws and bolts on gearbox suspension</b>				
▶ Check for firm seat				
<b>Visual inspection of belt pulley (if available)</b>				
▶ Check for wear/damage				
<b>Visual inspection and function test of manual gearbox</b>				
▶ Check for wear/damage				
▶ Tightness				
▶ Check the function				
<b>Oil change interval on manual gearbox (if available)</b>				
▶ Check filling level				Last change:
<b>Screws and bolts on gearbox suspension manual gearbox</b>				
▶ Check for firm seat				

	OK	Not OK	Rectified	Comment
<b>Visual inspection of kraftband (if available)</b>				
▶ Check for wear/damage				
▶ Check setting/play				
<b>Spring dimensions on belt tensioner (if available)</b>				
▶ Check for wear/damage				
▶ Check setting/play				
<b>Gearbox venting</b>				
▶ Check for wear/damage				
▶ Check the function				

## 5.6 Hydraulics

	OK	Not OK	Rectified	Comment
<b>Hydraulic cylinder lifting mechanism</b>				
▶ Check for leak tightness				
▶ Check the function				
<b>Hydraulic cylinder side guards</b>				
▶ Check for leak tightness				
▶ Check the function				
<b>Hydraulic components (hoses, screw connections, stop cocks)</b>				
▶ Check for leak tightness				
▶ Check the function				
<b>Lifting/lowering the machine</b>				
▶ Check for leak tightness				
▶ Check the function				





**A**

About this document.....	7
Applicable documents .....	7

**C**

Certificate for winter check .....	17
Comments .....	17
Conditioner .....	11
Contact .....	2
Cutterbar .....	13

**D**

Drive .....	14
-------------	----

**F**

Foreword .....	5
----------------	---

**G**

Guards/guard cloths/swathing .....	12
------------------------------------	----

**H**

Hydraulics.....	16
-----------------	----

**I**

Information for enquiries and orders .....	2
Information on customer, KRONE service partner and machine.....	6

**P**

Personnel qualification of the technicians .....	8
--	---

**R**

Re-ordering .....	7
-------------------	---

**T**

Three-point hitch/relief.....	10
-------------------------------	----

**V**

Validity .....	7
----------------	---

**W**

Winter check list.....	9
------------------------	---

**Y**

Your dealer's contact details.....	2
------------------------------------	---

This page has been left blank deliberately.



THE POWER OF GREEN

**Maschinenfabrik**

**Bernard Krone GmbH & Co. KG**

✉ Heinrich-Krone-Straße 10  
D-48480 Spelle

✉ Postfach 11 63  
D-48478 Spelle

☎ +49 (0) 59 77 / 935-0

📠 +49 (0) 59 77 / 935-339

🌐 [www.landmaschinen.krone.de](http://www.landmaschinen.krone.de)